09/05/00	jc903 U.S. P
	OT Q

Please type a plus sign (+) inside this box	→ [+]			PTO/SB/05 (1	2/97)
ricaco typo a plac digit (*/) iniciae and box	Attorney Docket No		PB2	Total Pages	29
UTILITY PATENT APPLICATION	F	irst N	amed Inventor or Application i	Identifier	OT
TRANSMITTAL		Paul BOBROWSKI et al.			
(Only for new nonprovisional applications under 37 CFR 1.53(b))	Express Mail Label	No	EL703413481US		, e n.
APPLICATION ELEME See MPEP chapter 600 concerning utility patent app		то	Assistant Commissic Box Patent Application Washington, DC 2023	on	0
5. [] Incorporation By Reference (use from which a copy of the oath or disclosure of the accompanying 6. [] Microfiche Computer Program () 7. [] Nucleotide and/or Amino Acid S	[Total [Total [Total all or copy] cation (37 CFR 1.6 [Total all or copy] cation (37 CFR 1.6 [Total with Box 17 coluventor(s)] Signed on, see 37 CFR 1.6 [Total able if Box 4b is chest declaration is supplication and is [Total application applica	Page Shee Shee 3(d)) mplete state 3(d)(2 ecked olied u hereb on (if	s [25]] ts [1]] ts [3]] ed) [Note Box 5 below] ment attached deleting Inv 2) and 1.33(b).) The entire disclosure of t under Box 4b, is considere y incorporated by reference	entor(s) named i he prior applicati d as being part c e therein.	on,
ACCOM	PANYING AP	PLIC	CATION PARTS		
8. [] Assignment Papers (cover sheen 9. [] 37 CFR 3.73 (b) Statement (w. 10. [] English Translation Document 11. [] Information Disclosure Statement 12. [] Preliminary Amendment 13. [X] Return Receipt Postcard (MPE 14. [] Small Entity Statement(s) desired 15. [] Certified Copy of Priority Document 15. []	then there is an assi- (if applicable) ent (IDS)/PTO-144 P 503) (Should be a [X] Statemen	.9 specii	[] Copies of IDS (fically itemized) I in prior application. Statu	Citations	I
16. [] Other: a) Make the references b)				MPEP 2001.06(I	b)).
17. If a CONTINUING APPLICATION, o	• • •		d supply the requisite infor) of prior application No:	mation:	
18. C	ORRESPOND	ENC	E ADDRESS		
[] Customer Number or Bar Code Label (Insert Custor Anthony H. Handal Handal & Morofsky	545 mer No. or Attach b	ar co	r [X] Correspondence ad de label here) eg No.: 26,275	ldress below	

Telephone:

Fax:

(203) 838-8589 (203) 838-8794

80 Washington Street

Norwalk, CT 06854 USA

Inventors:

Paul BOBROWSKI et al.

MACA PRODUCTS AND THEIR USES

CROSS REFERENCE TO A RELATED APPLICATION

This application claims benefit of United States Provisional Application No.: 60/152,468, filed September 3, 1999, in the name of Paul Bobrowski and others.

BACKGROUND OF THE INVENTION

1. Field of the Invention

- 1 The present invention relates to maca products and their uses. Maca is a root
- 2 vegetable grown in South America for human and animal consumption. More
- 3 particularly, the invention relates to new maca food products and to methods of
- 4 marketing and making such new products.

2. Description of Related Art Including Information Disclosed under 37 CFR

1.97 and 37 CFR 1.98

"Maca" is the common name of a cruciferous South American root vegetable found high in the rather barren Andean plateaus of the Puna region of Peru. The common Latin name of maca is *Lepidum meyenni*, although it has been suggested that the plant should be called *Lepidum peruvianum*. Maca has been cultivated for thousands of years and is a staple in the diet of today's indigenous Andeans who also use it extensively as an animal feedstuff. However, maca is not employed in old world agriculture as are other South American crops such as potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicum esculentum*) and maize (*Zea mais*). Maca is not related to these common crops, but is believed to be the only true crucifer native to South America. It is a member of the *Brassica* family which includes broccoli and brussel sprouts.

The tuberous roots can be dried in the sun and stored for periods of up to several years, while retaining nutrients. Maca is consumed fresh or dried. The tubers can be roasted and eaten directly, like potatoes. They have a unique tangy taste and an aroma that has been likened to butterscotch. The dried tubers can be hydrated overnight and parboiled in milk or water until soft to make a sweet aromatic porridge. The rehydrated tubers can be comminuted and mixed with fruit juice and milk to prepare juices and cocktails. Maca jams and puddings are also popular in some areas. The leaves, raw or cooked have a hot cress-like flavor and can be used as greens in summer salads. They are also a choice feed for fattening domesticated animals, for example sheep, for the table.

Maca has been used for centuries to enhance fertility in humans and animals and in particular to combat altitude-related sterility. It has been believed to improve both physical and mental capacities and has been used in Peruvian herbal medicine to

treat a variety of conditions including anemia, tuberculosis, menstrual disorders, 1 2 menopause symptoms, as well as sterility and other reproductive or sexual 3 disorders as well as to enhance memory. 4 5 Nutritionally, maca's composition resembles the beneficial qualities of cereal grains 6 such as maize, rice and wheat, yet has the desirable size and easily harvested properties of a root vegetable, and is easily stored. Typically, maca has five times 7 8 more protein, four times more fiber and less fat than potatoes. It has a favorable 9 ratio of unsaturated fat to saturated fat. 10 11 Additionally, maca is rich in important minerals such as potassium, iron, calcium, 12 manganese, copper and zinc. For all these reasons, it is a nutritionally highly 13 desirable vegetable. Furthermore, maca contains five natural sterols, making it a 14 popular supplement for athletes and body builders, as well as isothiocyanates and glucosinolates which, by analogy with other cruciferous vegetables, may provide a 15 16 protective effect against cancer. Accordingly, maca is a highly desirable vegetable 17 providing benefits that could be widely utilized. 18 19 At the time of this invention, maca is an important factor in the economy of the 20 Puna region of Peru, providing local sustenance, animal feed and income from sale 21 of maca products outside the Puna region. One such exported product is a fine 22 powder prepared from dried maca roots which is available in Peruvian cities and to 23 affluent consumers in the industrialized world. The powder is typically marketed 24 in 500 mg or 1000 mg capsules, or as a supplement to be added to drinks. 25 However, the demand for maca products outside the Puna region is limited. 26 27 Capsules and powdered maca have a number of drawback as sources of maca. 28 Many people have difficulty with, or dislike capsules which are not consumed as

ordinary foods but are taken as an adjunct to meals, like medicine. Maca powder is

1	a somewhat concentrated form of maca, by virtue of the drying step or steps
2	required to make the powder, which has a pronounced flavor that is unattractive
3	and too strong for many people. For others, the maca flavor is an acquired taste.
4	Like other acquired tastes, the flavor may not be immediately appealing, but it can
5	improve with experience.
6	
7	Accordingly, conventional maca powder products recommend adding the powder
8	to drinks. Naturally, maca imparts its own flavor to drinks and adds a textural
9	perception neither of which may be appealing. Also, the flavor may still be too
10	strong if adequate amounts of maca for nutritional purposes are used, and there are
11	few drinks that effectively complement the maca flavor.
12	
13	It would be desirable to market maca and provide maca products that enable
14	affluent consumers in the industrialized world readily to consume beneficial
15	quantities of maca. It would also be helpful to the economy of the Puna region of
16	Peru, and to comparable regions elsewhere that might benefit by cultivating maca,
17	if demand for maca in the United States and other industrialized countries could be
18	increased.
19	
20	BRIEF SUMMARY OF THE INVENTION
21	The present invention solves the problems of increasing the demand for maca and
22	of providing maca in an appealing form, whereby beneficial quantities can readily
23	be consumed, by providing, in one aspect, shaped solid food products
24	incorporating an effective amount of maca, the source for the maca comprising dry
25	powdered maca root.
26	
27	Preferably, the food product is a cooked food product, for example bread, chips or
28	pet treats, but it may be a product which is intended to be cooked before being
29	consumed, for example pasta, gnocchi or tortilla. A number of preferred

1	embodiments of the invention include one or more grain flours, for example wheat,
2	rye, spelt and so on, in the food product. Some preferred embodiments also include
3	one or more herbs or spices, or a mixture of herbs and spices, selected to
4	complement, enhance, or mask the maca flavor. A wide range of other food
5	ingredients may be included, for example, eggs, oils, fats, sugar, nuts, salt, molasses
6	and flavorings to provide a variety of different maca-containing food products for
7	example bagels, pizza crusts, muffins, crunches and so on.
8	
9	One preferred ingredient is egg white which is helpful in integrating maca into
10	cooked food products, for example pastas and breads. In breads, a combination of
11	maca and egg white can improve the elasticity of breads which is helpful in
12	providing a light bread, or bread-like product, for example muffins or cakes.
13	
14	Surprisingly, shaped food products can be provided which contain nutritionally
15	effective quantities of maca yet which have structural integrity and good
16	consistency when dried or cooked and are palatable, or indeed flavorful. Though
17	maca powder is a preferred form of maca for incorporation in foodstuffs, pursuant
18	to the invention, and maca powder has flour-like consistency, cooking tests of maca
19	powder mixed with water suggest maca lacks the desirable cooking characteristics
20	of wheat flour.
21	
22	The invention includes dry powdered maca packaged in bulk for sale to consumers,
23	preferably in containers each of which has a hermetic, tamper-resistant seal and
24	which can be used to store the maca supply between uses. Preferably the maca
25	container is provided with a quantitative dispensing device, for example a
26	measuring scoop. Preferably also, the container is accompanied by one or more
27	recipes for shaped, cooked maca products, or with one or more sources for such
28	information, or with recipes and a source for additional information, for example a
29	web site

1	The dry powdered maca product may be substantially pure maca or a composition
2	of maca and one or more grain flours, the composition comprising for example
3	from 10 to 90 percent maca by weight. Other dry recipe ingredients can be added
4	to the maca powder or maca mixture. The maca powder is partially cooked in the
5	drying process. By instructing the consumer to prepare cooked products from
6	drying powdered maca, the palatability of the end product to many consumers can
7	be assured. Thus the invention also provides a two-stage process of providing
8	maca-containing foods whereby maca plant materials are dried, with partial
9	cooking, and preferably are reduced to a powder, then subsequently mixed with
10	other food ingredients and cooked further to provide a cooked maca-enriched food
11	product.
12	
13	The invention also contemplates methods of making maca-containing food
14	products and methods of marketing maca, wherein consumers are provided with a
15	bulk source of powdered maca and are directed to consume effective quantities of
16	maca in appealing and palatable forms to provide nutritional benefits attributable
17	to maca consumption.
18	
19	BRIEF DESCRIPTION OF THE DRAWING FIGURE
20	One or more embodiments of the invention and of making and using the invention,
21	as well as the best mode contemplated of carrying out the invention, are described
22	in detail below, with reference to the examples, and the single exemplary figure of
23	the accompanying drawings which illustrates one suitable packaging form for a
24	marketing a powdered maca product, according to the invention.
25	
26	DETAILED DESCRIPTION OF THE INVENTION
27	One problem with the way in which maca is marketed to affluent consumers of
28	industrialized societies is that consumers who follow the vendors'
29	recommendations may not consume sufficient maca to obtain its nutritional

1 benefits.

Thus, conventional wisdom regarding maca in industrialized societies provides 500 or 1,000 mg capsules of maca, or of powdered maca supplement, and promotes or suggests aphrodisiac qualities of maca. Such claims may, on the face of it, find some basis in the use of maca for centuries in South America to promote fertility in domesticated animals at high altitude, and in the indigenous peoples' beliefs that such benefits may be shared by humans. Furthermore, scientific studies have shown that maca increases both male and female fertility of sheep and can increase both litter size and number in guinea pigs. The difficulty is that both the folklore and the scientific studies are based upon the consumption of maca as a food and in quantities of at least 20 grams dry maca per day for at least 15 days. This data suggests that a daily intake of forty to fifty 500 mg capsules would be needed to provide an equivalent intake in capsular form, clearly an impractical quantity. Applicant is not aware of any teaching suggesting that consumption of such small quantities of maca as one gram per day, which is to say less than 0.2 grams protein equivalent, will provide any nutritional or medicinal benefit.

Accordingly, the invention provides maca-containing food products, suitable for commercial distribution, and methods of making such food products, which products and methods permit enable consumers, even consumers not culturally familiar with maca to obtain the nutritional benefits of maca in a convenient and palatable manner. Nutritional benefits generally accrue over a period of time so that nutritional beneficial foodstuffs should be palatable and attractive to encourage regular consumption. The maca food products of the invention facilitate the consumption or ingestion of beneficial quantities of maca on a daily or comparably regular basis for extended or indefinite periods of time, for example two, four or more weeks or more, or three or six months.

1	Proportions
2	The maca-containing food products of the invention comprise a broad range of
3	largely cooked foodstuffs, especially foods which are cooked after adding maca,
4	preferably in dried and powdered form. The maca can be additional to
5	conventional ingredients, or it may wholly or partially replace one or more
6	ingredients. In a number of preferred embodiments, such as pasta, breads, cookies,
7	muffins and other baked goods, maca powder can partially or wholly replace grain
8	flour that would be used in conventional recipes. The proportion of maca in such
9	food products can vary quite widely, the lower limit being preferably sufficient to
10	provide a significant benefit when the food product is consumed on a regular basis,
11	or for a particular purpose, and the upper limit being such as to permit a
12	dimensionally stable, palatable product to be formulated. Proportions herein are,
13	unless otherwise stated, by weight, based upon a product's total ingredient weight
14	prior to cooking.
15	
16	Thus, it is preferred that the food product comprise significantly more than one
17	percent by weight of the total food product ingredients, before cooking. For
18	example the proportion of maca is preferably at least three percent, but more
19	preferably at least five percent, and in most cases at least 10 percent by weight of
20	the food product. While there is no particular upper limit to the proportion of maca
21	that can be used, it is generally preferred that maca comprise a minor proportion of
22	the foodstuff so as not to overwhelm the conventional character of the food
23	product.
24	
25	Preferably maca comprises less than 40 percent by weight of the food product, and
26	in most cases not more than about 25 percent. A useful range of maca for many
27	products, for example, pasta, breads, specialty breads and pizza, as well as for
28	animal foods such as pet treats, is about 10-20 percent by weight. Other foods such

as crunches may employ less than about 10 percent maca, while still further foods,

1 for example chips or granola, may employ higher proportions of maca in the range 2 of about 25-35 percent by weight. 3 4Preferably maca powder is used in combination with a grain flour, for example 5 wheat flour, spelt flour, corn flour, rye flour or rice flour. However vegetables 6 flours, for example potato or vam may also be combined with maca or with maca 7 and one or more grain flours to serve as the flour ingredient of foods such as pastas, 8 breads, pastry foods, and cakes. In such high-flour foods, maca preferably 9 comprises from about 10 to about 70 percent by weight of the flour component of 10 the food, more preferably from about 20 to about 40 percent by weight of the flour 11 component. In foods which customarily employ a lesser proportion of flour, for 12 example gnocchi (made from cooked potatoes rather than potato flour), candy 13 crunches, granola and animal treats or feeds such as horse nuggets, maca may 14 comprise a high proportion of the flour component, for example from 50 to about 15 100 percent of the flour component. 16 17 By eating such foods, knowing the proportion of maca, an individual may readily 18 consume substantial amounts of maca in excess of 10 gm per day, for example 20, 30 19 or 40 or more grams per day of maca, referring to the weight of the dry powder. 20 Also, it would not be difficult to consume higher quantities such as 50 to 100 gm per 21 day, if desired. By selecting particular foods to their liking and gradually 22 increasing the proportion of maca in the foods selected, or their daily intake, an 23 individual may easily plan a program to acquire a taste for maca. 24 25 Drying Maca 26 Dry, powdered maca for use in the practice of the invention can be prepared by 27 comminuting maca tubers, after washing thoroughly, e.g. triple washing, for 28 example by slicing and blending, preferably after peeling, and then drying the 29 comminuted tubers at a temperature in the range of about 105-200 °C, preferably

1 about 120-140 °C, more preferably about 130 °C, to a desired dryness, preferably to 2 a constant weight. One standardized drying method is specified as AOAC 925.10 3 method (Association of Official Analytical Chemists, "AOAC", 1990). The dried 4 product is then ground to a desired mesh, for example to provide a powder 5 comparable with all purpose flour. Preferred for use in the examples set forth 6 herein is a powdered product dried at about 130 °C to a constant weight. Such a 7 product is expected to be marketed by Rainforest Phytoceuticals, Delmar, NY in a 8 one pound container such as is described with reference to Figure 1. 9 10 Packaging It is a feature of the invention to provide maca in a suitable commercial package to 11 12 be convenient and attractive to consumers in industrialized nations such as the 13 United States, Japan and European countries. Preferably the maca is packaged in a 14 container suitable for commercial distribution in such countries, and will keep the 15 maca in good condition for a satisfactory storage period, for example at least three 16 months. Preferably, also the package should be difficult to tamper with, and should 17 preserve the maca to be delivered to the consumer in good condition. Further 18 desirable package features are that it be convenient to the consumer and include a 19 useful dispensing structure or device. Still further, it is desirable that the packaging 20 permit storage and reuse by the consumer, or other end user such as restaurant, 21 bakery, commercial kitchen or the like. For consumers, packages of 8, 16 or 32 22 ounces (about 227, 453 or 906 gm, respectively) provide a suitable bulk supply, 23 while larger packages of about 5 or 10 lb, (about 2265 or 4530 gm) can be supplied 24 for commercial use in restaurants, kitchens and so on. 25 26 One embodiment of a package providing such desirable features is illustrated in the 27 drawing Figure. A wide range of alternative packages and packaging features will 28 be apparent to those skilled in the art. The maca container illustrated in Figure 1 29 comprises a cylindrical drum 10 having a screw-down lid 12, which for esthetic

purposes can have an outer profile flush with that of drum 10. Drum 10 is preferably sealed by a frangible paper, plastic, metal or composite membrane 14 and in closes a sack 16 containing a desired quantity of powdered maca 18. In addition, a scoop 20, which is preferably a measuring scoop of stated capacity is included in drum 10. Sack 16 made the of any suitable material for example polyethylene, polypropylene or polyester film, is preferably transparent and is preferably sealed, for example by a twist tie 22. Optionally, container 10 may include, secured to the container, or to, or on a container label, or within the container, instructions for use of maca, optionally including recipes such as those described herein, one or more redeemable coupons, and contact information for obtaining information regarding maca and its use, for example telephone number, email web or postal address, and the like. Alternatively, some or all of such materials can be printed on the outside of the container or on a label around the container.

COMPARATIVE EXAMPLE A

Maca paste

About 15 ml maca powder is thoroughly mixed with about 20 ml water to a smooth slurry or paste. A tablespoonful of the paste is fried in an oiled skillet at about 350 °F. After 2-3 minutes, the product is still wet, with little sign of thickening, and is beginning to stick to the skillet. After 1-2 more minutes the product has still not thickened, does not look cooked, but is sticking significantly and is removed before it burns. Even after cooling the product is still a moist, paste unable to hold its shape. Product aroma is pronounced, and the mixed product is quite unpalatable before and after cooking with a strong, bitter, persistent flavor. In this test, maca does not behave like wheat flour which can be mixed with water and cooked to a pleasant, eatable dimensionally stable pancake or crust.

The following examples illustrate the preparation of maca-containing food products pursuant to the invention. Most of the products are shaped and intended to be cooked. The quantities given are suitable for preparation in the home for a small number of people, and can be scaled up, proportionately, for commercial production, employing industrial food-processing equipment, if desired. The approximation that 1 oz equals about 30 gm (rather than 28.35 gm), or 30 ml, has been used, noting that quantities given are approximate and subject to adjustment for quality variations in natural ingredients and for individual taste. It is the relative

1 proportions that are significant.

- For convenience, the weights of some dried herbs and seasonings have been
- 4 expressed as 1gm/ml volume equivalents, notwithstanding that the actual weights
- 5 of the teaspoon or tablespoon volumes will be somewhat less.

EXAMPLE 1 Maca Pasta (Basic)

240	gm	spelt flour	(1 ½ cups)
80	gm	maca powder	(½ cup)
200	mg	sea salt	
15	mĺ	olive oil	(1 tbsp)
180	ml	water	(2/3 cup)

 The ingredients are mixed together in a bowl, adjusting the quantity of liquid ingredients added, for consistency, kneaded as necessary, rolled out into a sheet and cut into strips, for spaghetti, linguini or the like, into rectangles for ravioli, or other suitable shape for shells, for tagliatelle or other shaped pasta product, as is known in the past-making arts. The pasta is air dried, to a lesser degree for immediate consumption, or for freezing, or to a somewhat greater degree if the product is intended to be packaged and marketed dry. The dry product comprises well-defined pasta pieces with good structural integrity. The dried maca pasta is cooked in boiling water to a desired tenderness for from about 7 to about 15 minutes yielding a cooked shaped pasta product.. The individual pasta strands or pieces are coherent solids with a conventional pasta appearance. They are palatable with a good texture and interesting flavor.

EXAMPLE 2

The method of Example 1 is repeated substituting barley, buckwheat, kamut, masa, millet, oat, rye, semolina, teff, or wheat flour, or mixtures of the foregoing flours for spelt flour. The wheat flour may be durum, white, or wholewheat flour, or a mixture thereof. Comparable results are obtained.

The method of Example 1 is further repeated using the ingredients set forth in Examples 3-14 below. In each case, comparable or equivalent results are obtained.

EXAMPLE 3

			Single-Herb Maca Pasta	
1	.60	gm	spelt	(1 cup)
	40	gm	maca powder	(1/4 cup)
	15	gm	fresh herb	(1 tbsp)
	30	gm	lemon or lime juice	(2 tbsp)
	60	ml	egg whites	(2 ea.)
	15	gm	olive oil	(1 tbsp)
	60	ml	water	(1/4 cup)
				·

EXAMPLE 4

Herbal Maca Pasta

240 gm spelt $(1 \frac{1}{2} \text{ cups})$

48

1	80	gm	maca powder	(½ cup)
2	5	ml	sea salt	(1 tsp)
2 3	90	ml	egg whites	(3 ea.)
4	15	gm	olive oil	(1 tbsp)
4 5	60-120	ml	water	$(1/4 - \frac{1}{2} cup)$
6	60	ml	dried herbs (1 tbsp each: pa	• •
7			dill, tarragon, cilantro)	,
7 8			, , , , , , , , , , , , , , , , , , ,	
9			EXAMPLE 5	
10			Maca-Rice Pasta	
11	80	gm	maca powder	(½ cup)
12	80		white rice flour	(½ cup)
13	80	0	brown rice flour	(½ cup)
14	500	mg	sea salt	(,2 cup)
15	15	ml	olive oil	(1 tblsp.)
16	130	ml	water	(½ cup)
17	100	1111	Water	(/2 cup)
18			EXAMPLE 6	
19			Sweet Maca Pasta	
20	120	gm	spelt	(3/4 cup)
21	80		maca powder	(½ cup)
22	120		white sweet potato flour	(3/4 cup)
23	15	_	-	(3/ 4 cup)
23 24		gm	-	
25	200	mg		(1 thlon)
25 26	15	ml		(1 tblsp.)
20 27	180	ml	water	(2/3 cup)
28			EVANDI E 7	
26 29	Vom flour or malance flour		EXAMPLE 7	t notate flour used in Evennle
30	6.	r is st	ibstituted for the write swee	et potato flour used in Example
31	0.			
32			EXAMPLE 8	
33			Maca Bean Pasta	
34	120	arm.		(2/4/gup)
35	120 80	gm	kamut	(3/4/cup)
36		gm	maca powder	(½ cup) (3/4 cup)
37	120	gm	black bean flour	(3/4 cup)
38	15	gm	powdered gluten	(1 there)
39	15	gm	chili powder	(1 tbsp)
40	30	gm	onion powder	(2 tbsp)
	45	gm	dried basil	(3 tbsp)
41	200	mg	sea salt	
42	15	ml	olive oil	(0./2)
43	180	ml	water	(2/3 cup)
44 45			EVANDIEO	
45 46			EXAMPLE 9	
46	440		Oriental Maca-Rice Pasta	(0.14

(3/4 cup) (less than 3/4 cup)

118 gm maca powder 109 gm white rice flour

1	109	gm	brown rice flour	(less than $3/4$ cup)
2	91	gm	potato flour	(less than $3/4$ cup)
3	20	gm	powdered ginger	
4	20	gm	powdered wasabi	
5	15	gm	powdered egg white	(equal to 1 egg)
6	15	ml	olive oil	
7	220	ml	water	(1 cup)
8				

EXAMPLE 10

A similar quantity of the mixed ingredients of the Maca Pasta (Basic) recipe of Example 1 is substituted for the maca powder in Example 9.

EXAMPLE 11

One or more of artichoke, casava, garbanzo, lotus, malanga, masa, sweet rice, quinoa, soy, sweet potato, water chestnut, or yam flours is substituted for one or more of the white rice or brown rice flours or the potato flour in Example 9.

EXAMPLE 12

Maca-Kamut Pasta

160	gm	kamut	(1 cup)
55	gm	maca powder	(1/3 cup)
10	ml	dry oregano	(2 tsp)
45	ml	lemon juice	(3 tbsp)
15	ml	olive oil	(1 tbsp)
60	ml	water	(1/4 cup)

EXAMPLE 13

Tex-Mex Maca Pasta

240	gm	spelt	(1 ½ cups)
80	gm	maca powder	(½ cup)
30	ml	cilantro, fresh, chopped	(2 tbsp)
2	ml	chili powder	(½ tsp)
2	ml	onion powder	$(\frac{1}{2} \operatorname{tsp})$
60	ml	egg whites	(2 ea.)
15	ml	olive oil	(1 tbsp)
60	ml	water	(1/4 cup)

EXAMPLE 14

Maca-Quinoa Pasta

55	gm	quinoa flour	1	(1/3 cup)
55	gm	maca powder		(1/3 cup)
55	gm	potato flour		$(1/3 \operatorname{cup})$
55	gm	tapioca flour		(1/3 cup)
60	ml	egg whites		(2 ea.)
15	ml	olive oil		(1 tbsp)
60	ml	water (1/4 cup)		

1 2				EXAMPLE 15 Basic Maca Bagel	
3	Step 1: Yeast Mix	240	ml	warm water	(1 cup)
4	,	1	pkg	active dry yeast	
4 5		7	gm	sugar	$(1 \frac{1}{2} tsp)$
6		7	gm	sea salt	$(1 \frac{1}{2} tsp)$
7			-		
8	Step 2: Flour	320	gm	all purpose flour	(2 cups)
9	•	80	gm	maca powder	(½ cup)
10			_		
11	Step 3: Water Boil	3000	ml	water	(3 qt)
12	•	7	gm	sugar	(1 tbsp)
13					
14	Step 2: Batter Mix	80	gm	cornmeal batter	$(\frac{1}{2} \operatorname{cup})$
15		30	gm	egg yolk	(1 ea)
16		15	ml	water	(1 tbsp)
17					

Step 1, mix warm water, yeast and sugar, let stand 5 minutes, stir in salt. Step 2, add and mix 2 cups flour, beat (med) 5 minutes, add $\frac{1}{2}$ cup maca, mix. Knead 15 minutes. Remove to oiled bowl, cover, let stand 30 minutes. Knead and divide into six pieces. Knead each piece into a ball, poke thumbs through center, shape. Place on floured board, cover, let stand at room temperature for 20 minutes. Step 3, bring 3 quarts water plus sugar to a boil, heat oven to 400° F, and grease baking sheet. Drop bagels in water (ea), boil 5 minutes with turning. Remove, drain, brush with batter made in step 4, bake 30 - 45 minutes. Bagels of traditional appearance with good texture and structural integrity as well as an agreeable flavor are produced.

EXAMPLE 16

Maca Wheat Bagels

Example 15 is repeated, substituting $1\frac{1}{2}$ tbsp honey for sugar and substituting 1 cup whole wheat flour and 1/4 cup wheat germ for $1\frac{1}{4}$ cups all purpose flour. Comparable or equivalent results are obtained.

EXAMPLE 17

Maca Pumpernickel Bagels

Example 15 is repeated, substituting $1\frac{1}{2}$ the dark molasses for sugar and substitute 1 cup rye flour, $\frac{1}{2}$ cup whole what flour, for $1\frac{1}{2}$ cup of all purpose flour. Comparable or equivalent results are obtained.

EXAMPLE 18

Maca Onion Bagels

Example 15 is repeated, adding $\frac{1}{2}$ cup to asted onion flakes to basic dough with the yeast, water and sugar. Comparable or equivalent results are obtained.

EXAMPLE 19

Maca Rye Loaf

	Which Type Body			
240	gm	rye flour	(1½ cup)	
80	gm	maca powder	(½ cup)	

8

9

10

11

12

13 14

15 16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31 32

42

43

44

45

46 47

48

1	15	gm	dry yeast	(1 tbsp)
2	80	ml	warm water	(½ cup)
3	5	gm	salt	(2 tsp)
4	30	ml	canola oil	(2 tbsp)
5	30	ml	cider vinegar	(2 tbsp)
6	80	gm	unbleached white flour	(½ cup)

Rye and maca powders are added to a bowl. The yeast is dissolved in water added to the bowl and mixed with the flours. Salt, oil, and vinegar are added, stirring well. White flour is added and the dough is kneaded well and formed into any desired loaf or loaves. The loaves are brushed on the surface with oil, set in a pan and allowed to double in size, then baked in a preheated oven at 350° F for 1-1/4 hours. Well-shaped bread loaves of good texture and structural integrity as well as an appealing flavor are obtained.

EXAMPLE 20 Maca Pita (4 oz)Starter: 120 ml water $(1 \frac{1}{2} \text{ oz})$ 45 gm yeast (8 oz)240 ml water Pita: $(\frac{1}{2} \text{ oz})$ 15 gm salt (1 tbsp)15 ml olive oil (3 oz)gm whole wheat flour 90 (8 oz)gm maca powder 240 (16 oz)gm high gluten flour 480

Mix starter and let stand 5 minutes. Mix remaining ingredients, add starter, knead 10 minutes, let stand 30 minutes covered. Make 5 ounce balls, let rest 5 minutes, roll out to circles, about 1/4 inch thick. Let rest 20 minutes and bake on a stone at 500°F for 3 minutes. Well-shaped pitas of good texture and structural integrity as well as an appealing flavor are obtained.

		EXAMPLE 21	
		Maca Gnocchi	
360	gm	boiling potatoes	(3/4 lb)
80	gm	all purpose flour	(½ cup)
80	gm	maca powder	(½ cup)
105	gm	fresh grated parmesan cheese	(2/3 cup)
	Ŭ	Sauce: tomato, pesto, etc. as des	

Boil unpeeled potatoes until tender, drain, peel when able. Puree while warm. Add maca powder and most of flour. Beat until smooth. Add remaining flour, incorporate, knead five minutes into dough. Shape into tablespoon-size balls, crease center, boil in salted water until gnocchi rise (8 - 10 minutes) and drain. Well-shaped gnocchi of good texture and structural integrity as well as an appealing flavor are obtained. They can be served with sauce and cheese.

EXAMPLE 22

EXAMPLE 23

Example 21 is repeated substituting arrowroot flour for the all purpose flour. Similar results are obtained.

4 5

1

2 3

6

12 13 14

15 16 17

18

46

47

48

7

Maca Pizza 280 gm bread flour (13/4 cup) $(\frac{1}{2} \text{ cup})$ 80 gm maca powder (1 tsp) 5 gm salt $(1 \frac{1}{2} \text{ tsp})$ 7 ml vegetable oil (3/4 cup)120 ml water (1 tsp) 5 gm dry yeast Sauce: tomato, pesto, etc. as desired.

Place flour, maca and salt in bread pan, add water and mix. Add yeast and knead. Let stand 30 minutes covered. Divide equally into four balls, place on floured surface, cover with plastic wrap, let stand 20 minutes. Roll each into a flat circle, place on greased baking pan, prick with fork, brush with sauce of choice, add toppings, bake 15 - 20 minutes at 500°F. Well-shaped pizza of good texture and structural integrity as well as an appealing flavor is obtained.

EXAMPLE 24

Maca Tortillas

cups)
½ cup)
4 cup)
½ tsp)
½ tsp)
4 cup)

In a bowl, mix flour, maca, baking powder, shortening, and salt, until a meal is obtained. Add water dropwise, incorporate, form dough and knead until elastic. Divide into ten equal portions, ball, cover and let stand 30 minutes. Roll each into a 6" disk, cook on a preheated surface until both sides are golden. Well-shaped tortillas of good texture and structural integrity as well as an appealing flavor are obtained.

EXAMPLE 25

Maca Nut Crunch

360	gm	granulated sugar	(21/4 cups)
		maca powder	(½ cup)
60	gm	unsalted butter	(½ stick)
160	ml	water	(2/3 cup)
5	gm	salt	(1 tsp)
240	σm	crushed macadamia nuts	$(1 \frac{1}{2} \text{ cups})$

In a heavy saucepan, add sugar, maca, butter, water. Cook over medium heat with stirring to a golden-brown syrup (approximately 25 minutes). Remove from stove. Stir in macadamia nuts. Pour into 9" x 13" greased foil-lined pan. Let set and cool. Break into

bite-sized pieces. The nut crunch pieces are firm and solid, have good texture and an appealing flavor.

1 2

-1				
5			EXAMPLE 26	
6			Spicy Maca Chips	
7	160	gm	maca powder	(1 cup)
8	160	gm	all purpose flour	(1 cup)
9	40	ml	vegetable shortening, pieced	(1/4 cup)
10	2	mg	baking powder	(½ tsp)
11	2	mg	salt	(½ tsp)
12	30	mĺ	crab boil spices	(2 tbsp)
13	2	mg	garlic powder	(½ tsp)
14	2	mg	chili powder	$(\frac{1}{2} \operatorname{tsp})$
15	120	mľ	warm water	(½ cup)

In a bowl, mix flour, maca, baking powder, shortening, salt, garlic and chili powder until a meal is obtained. Mix together crab boil and water. Add dropwise, incorporate, form dough, knead until elastic. Divide into workable portions, ball, cover, let stand 30 minutes. Roll each into a thin sheet. Cut into desired shapes, place single layered on non-stick (or greased) cookie sheet and bake in a pre-heated oven at $400^{\circ}F$ for about 10 minutes until crisp or fry in vegetable oil at about $375^{\circ}F$, 3 - 5 minutes. Well-shaped chips of good texture and structural integrity as well as an appealing flavor are obtained.

EXAMPLE 27

Maca Croutons

640-960	σm	cubed maca rye bread (Ex. 19)	(4-6 cups)
	_	butter	(2 tbsp)
	_	olive oil	(2 tbsp)
5	gm	oregano	(1 tsp)
5	gm	fines herbs	(1 tsp)
2	clov	es garlic, crushed	
	Salt	and pepper to taste	

Melt butter in a large pan (11" \times 14") in a preheated oven at about 200°F. Add oil. Press garlic into oil and butter mixture. Add herbs, mix well. Add salt and pepper to taste. Add bread cubes and tumble until well coated. Spread in single layer. Dry in oven 15 - 30 minutes. The croutons have good texture and structural integrity as well as an appealing flavor.

40				
41			EXAMPLE 28	
42			Mac Dog Treats	
43	80	gm	cornmeal	(½ cup)
44	160	gm	whole wheat flour	(1 cup)
45	120	gm	maca powder	/(3/4 cup)
46	30	gm	garlic powder	(2 tbsp)
47	30	ml	instant stock mix	
48			(beef, chicken and vegetable)	(2 tbsp)

1	30	gm	bacon bits	(2 tbsp)
2	90	ml	oil	(6 tbsp)
3	105	gm	water	(2/3 cup)
4		Ū	Powdered multiv	ritamins (optional)
5				

Add all dry ingredients together, mis. Add in wet ingredients and mix well to cornmeal consistency. Roll out 1/4" sheet and cut with biscuit cutter. Place on cookie sheet and bake at about 350°F for about 35-45 minutes, basting with meat drippings or bacon fat. Allow to cool before serving. Well-shaped dog biscuits, or treats, of good texture and structural integrity are obtained which are appealing to dogs.

		EXAMPLE 29	
		Mac Cat Cookies	
240	gm	can tuna (in oil)	(8 oz)
215	gm	flour	(11/3cups)
215	gm	cornmeal	(1 1/3 cups)
215	gm	flour	(1 1/3 cups)
215	gm	maca powder	(11/3 cups)
120	gm	water	(3/4 cup)
105	ml	vegetable oil	(2/3 cup)
2	gm	salt	(½ tsp)
	Ü	Multivitamins (optional)	

Mix all ingredients. Knead to combine. Roll to 1/4" thick sheet. Cut to desired shape. Bake on greased cookie sheet 350° F, 25-30 minutes. Cool. Store refrigerated. Well-shaped cat cookies, or treats, of good texture and structural integrity are obtained which are appealing to cats.

		EXAMPLE 30	
		Mac Horse Nuggets	
320	gm	rolled oats	(2 cups)
320	gm	sweet feed	(2 cups)
320	gm	maca powder	(2 cups)
	_	bran	(5 cups)
240	gm	molasses	(1 1/2 cups)

Mix grains and maca together in large bowl. Add molasses, knead until well mixed. Place 1/3 cup portions on greased cookie sheet and bake at about 375°F for about 10 - 12 minutes. Cool. Store refrigerated or frozen. Well-shaped horse nuggets, or treats, of good texture and structural integrity are obtained which are appealing to horses.

42				
43			EXAMPLE 31	
44			Maca Granola	
45	320	gm	rolled oats	(2 cups)
46	320	gm	granola	(2 cups)
47	80	gm	wheat germ	(½ cup)
48	80	gm	sesame seeds	(½ cup)

1 2 3 4 5 6 7	40 40 20 30 40 5	gm gm gm ml ml gm	shelled pecans (or other nuts) raisins dried fruit grated coconut light sesame oil honey ground cardamon	(1/4 cup) (1/4 cup) (1/4 cup) (1/8 cup) (2 tbsp) (1/4 cup) (1 tsp)
7	5	gm	ground cardamon	(1 tsp)
8	2	gm	grated nutmeg	$(\frac{1}{2} \operatorname{tsp})$
9				

Toast oats, wheat germ, maca, seeds, legumes lightly on a baking sheet until browned (350°F, 5 - 10 minutes). Cool. Heat honey, oil in a small pan and trickle over dry mix. Sprinkle with cardamom. Return to oven and heat an additional 5 minutes. Stir and turn. Heat a further 5 minutes until brown (not crispy). Remove, cool, add raisins, fruit, nuts, mix well. The cooked product is palatable and has a good flavor. The maca is well integrated and not apparent as a separate ingredient.

EXAMPLE 32 Maca Wafers

80	gm	butter	(½ cup)
240	gm	graham flour	(2 cups)
80	gm	maca powder	(½ cup)
15	gm	baking powder	(1 tbsp)
30	gm	brown sugar	(2 tbsp)
7	gm	cinnamon, ground	(½ tbsp)
40	ml	honey	(1/4 cup)
60	ml	beaten egg	(1 whole)
40	ml	hot water	(1/4 cup)

Preheat oven (350°F). Cut and mix butter into flour and maca to a cornmeal texture. Stir in baking powder, brown sugar, cinnamon. Add egg, hot water, mix well. Knead as dough 2 - 3 minutes. Set one-half aside. Roll out into a square 1/8" thick. Place on ungreased baking sheet. With sharp knife, score into 2" squares. Bake 10 minutes until lightly brown. Repeat with remaining one-half dough. Cool, separate. Well-shaped wafers of good texture and structural integrity as well as an appealing flavor are obtained.

COMPARATIVE EXAMPLE B

Wheat flour dough

One part of high gluten bread (wheat) flour is mixed with sufficient egg white to form a good dough. The dough is compared with a similar dough prepared using water in place of the egg white and is examined for elasticity by manually stretching the dough. There is little difference in elasticity between the water-only dough and the egg white dough.

EXAMPLE 33

Maca dough

Comparative Example B is repeated using a mixture of one part maca powder and one part red flower in place of the breadth are of comparative example B. Surprisingly, the egg white dough exhibits significantly more elasticity that the water-based dough. Such elasticity is desirable in structurally integrating the maca into the end-product foodstuff.

Also, good elasticity is associated with a lighter bread. It may be theorized, although the 1 invention is not bound by such theory, that the maca proteins, which are a prominent 2 component of maca, permit cross-linking with egg white albumen to provide the kind of 3 molecular structure commonly associated with elasticity. 4 5 The food products of the foregoing Examples 1-33 (not including Comparative 6 Examples A and B) have enhanced nutritional value derived from the presence of 7 maca as compared with the equivalent products lacking maca. 8 9 The dry ingredients of the foregoing recipes, or some of the dry ingredients, for 10 example maca powder mixed with flour, can, pursuant to the invention, be 11 commercially supplied as a package of ingredients for use in one or more of the 12 13 recipes. 14 The quantities of maca powder employed in the foregoing examples, and their 15 proportions with respect to the total flour and total ingredients used in the 16 examples, are set forth in the Table. 17

. .

5

TABLE Maca as a percentage constituent of total flour and of total ingredients in the examples.						
Example	Maca gm	Flour gm	Total gm	Maca % flour	Maca % Total	
Ex. 1 pasta	80	320	515	25.00	15.53	
Ex. 3 pasta	40	200	370	20.00	10.81	
Ex. 4 pasta (60 ml water)	80	320	550	25.00	14.55	
Ex. 4 pasta (120 ml water)	80	320	610	25.00	13.11	
Ex. 5 pasta	80	240	385	33.33	20.78	
Ex. 6-8 pasta	80	335	530	23.88	15.09	
Ex. 9 pasta	118	427	717	27.63	16.46	
Ex. 12 pasta	55	270	400	20.37	13.75	
Ex. 13 pasta	80	320	489	25.00	16.36	
Ex. 14 pasta	55	220	355	25.00	15.49	
Ex. 15 bagels	80	400	654	20.00	12.23	
Ex. 19 bread	80	320	560	25.00	14.29	
Ex. 20 pita	240	810	1245	29.63	19.28	
Ex. 21 gnocchi	80	80	500	100.00	16.00	
Ex. 23 pizza	80	360	497	22.22	16.10	
Ex. 24 tortilla	80	320	484	25.00	16.53	
Ex. 25 crunch	80	80	905	100.00	8.84	
Ex. 26 chips	160	320	518	50.00	30.89	
Ex. 28 dog treats	120	360	645	33.33	18.60	
Ex. 29 cat cookies	215	860	1327	25.00	16.20	
Ex. 30 horse nuggets	320	320	2000	100.00	16.00	
Ex 31 granola	320	320	1017	100.00	31.47	
Ex. 32 wafers	80	335	592	23.88	13.51	

While the invention has been described with particular reference to a variety of cooked and shaped food products for either human or animal consumption, and to the commercial marketing of bulk supplies of powdered maca for preparing such food products, it will be understood that the invention includes a wide range of

. . .

food products other than those specifically mentioned herein, including cookies and 1 crackers, as well as macaroni, noodles, lasagne and other pasta product, cakes and 2 muffins, pastry products and the like for human consumption. In addition, the 3 invention includes shaped or cooked, or shaped and cooked maca-containing 4 feedstuffs for agricultural, piscicultural, veterinary or zoological use for health 5 maintenance or therapeutic purposes including, in particular, treatment of sterility 6 7 in breeding animals. 8 Some animals which may benefit from a maca-containing feed as an alternative to, 9 or supplement to, a relatively low nutritional value feed, are common farm animals 10 such as cows, sheep, horses, llamas, goats, and pigs, as well as exotics such as mink 11 and ostriches. Zoo animals, for example monkeys and apes may also benefit as may 12 carnivores such as wild cats, dolphins, sharks and whales when meats, fish, prey or 13 14 other high proteins are unavailable. 15 Furthermore, while the invention has been described with reference to maca, as this 16 is a cultivated and widely available species in certain parts of South America, those 17 skilled in the art will understand that the invention may also be able to employ 18 other species of cruciform, or other plant family, that are known or become known, 19 including species closely related to maca and species not closely related to maca; 20 and to genetically engineered variants or other genetically induced variants of 21 maca; which display a similar combination of useful properties, especially, but 22 without limitation, the development of large fleshy roots, corms or fruits that are 23 readily stored and have advantageous nutritional characteristics, for example 24 nutritional profiles that compare favorably with cereals. The ability to be cultivated 25 in agriculturally poor regions and an established consuming culture are further 26 desirable characteristics of such species alternatives to maca.

28

29

27

While illustrative embodiments of the invention have been described above, it is, of

1		
2	course, und	erstood that various modifications will be apparent to those of ordinary
3	skill in the	art. Many such modifications are contemplated as being within the
4	spirit and s	cope of the invention.
5		
6	The following	ing references relating to maca are hereby incorporated herein by
7	reference tl	nereto:
8	•	
9	REFE	RENCES
9	1.	Rea, J (1992) Raices andinas: maca in Bermejo, H. and Leon, J.E., eds., Cultivos marginados, otra perspectiva de 1492.
10	2. 3	King, Steven (1986) Ancient Buried Treasure of the Andes. Garden, November/December. National Research Council (1990) Lost Crops of the Incas: Little Known Plants of the Andes with Promise for Worldwide Cultivation. Nat Acad Press, Washington DC
11	4 5.	Johns, T. (1981). The anu and the maca. <i>J. Ethnobio</i> , 1:208-212 Quircs CF et al (1996) Physiological and Cytogenetical Characteristization of Maca, <i>Lepidium</i>
	6.	meyenii Walp Econ Bot 50:216-23. Leon, J (1964) The "maca" (Lepidium Meyenii) a little known food plant of Peru. Econ Bot 18:
	7.	122-127 Chacon, RC (1961) Estudio fitoquimico de Lepidium meyenii. Dissertation, Univ., Nac. Mayo de
		San Marcos, Perú.
	8 9.	Dini, A et.al (1994) Chemical composition of Lepidium meyenii. Food Chem 49:347-349. Plant Medicine's Importance Stressed by CSU Professor, HerbalGram Mag, Spr 1989, p12.
	10. 11	Steinberg, P (1995) Phil Steinberg's Cat's Claw News, Vol. 1, Issue 2, July/August. Gomez, A (1997) Maca, Es alternativa Nutricional para el ano 2000. Informe Ojo con su Salud
		No. 58 August 15, Lima, Peru
	12.	Chacon, G (1990) La maca (Lepidium peruvianum) Chacon sp. Nov. Y su habitat. <i>Revista</i> Peruana de Biologia 3: 171-272
	13 14	King SR (1986) Tubers from the Andes: Extinction or Propogation. Garden 10(6):6-11. Consultive Group on International Agricultural Research (CGIAR)
	15	www cquar org/cip/biodiv/arate maca htm
	16	USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network (GRIN), National Germplasm Resources Laboratory, Beltsville, MD
	17.	Toledo J et al (1998) Genetic variability of Lepidium meyenii and other Andean Lepidium species (Brassicaceae) assessed by molecular markers. Ann. Bot. 82:523-30.
	18	Marticcrena C & Quezada M. (1985) Catalogo de la flora vascular de Chile. (L Chile)
	19.	Brako L & Zarucchi JL (1993) Catalogue of the flowering plants and gymnosperms of Peru. (L Peru)
	20.	Facciola S (1990) Cornuccoia - a Source Book of Edible Plants Kampong Publications
	21. 22.	Macbride JF et al , eds. 1936-1971; new ser. 1980 Flora of Peru. (F Peru) Kunkel G. Plants for Human Consumption (L Edible Pl)
	23	Wiersema JH & León B (1999) World Economic Plants: a Standard Reference. (World Econ PI)
	24. 25.	Popence H et al (1990) Lost Crops of the Incas, National Academy Press Uphof JC (1959) Dictionary of Economic Plants, Weinheim
	26.	Usher G (1974) Dictionary of Plants Used by Man, Constable (ISBN0094579202)
	27.	ARTC: "Searching for lost crops", www.cipotato.org/projects/nrm/c&cartcgr/artprjct.htm
	28	CIP. "Lost Crops: The Lesser-known Andean Root and Tuber Crops." http://www.cipotato.org/ projects/nrm/c&cartogr/artc.htm
	29.	CIP-Held Accessions. Accessions of Lesser-known Andean Root and Tuber Crops Held in the CIP Genebank. http://www.cipctato.org/biodiv/aratc/artcacc.htm
	30.	Macleod AJ (1976) "Volatile flavor compounds in the Cruciferae" The Biology and Chemistry of
	31.	the Cruciferae. Vaughan AJ et al, eds. Academic Press, New York. Benn M (1977) Glucosinolates. Pure Appl. Chem. 49:197-210.
	32.	Sobrevilla LA et al (1968) Low estrogen excretion during pregnancy at high attitude. Amer J
	3 3	Obst Gyn. 120:828-33. Buck AA et al (1968) Health and Disease in four Peruvian villages. The John Hopkins Press,
	34.	Baltimore, MD Collazos Chiriboga C. (1969) La Composición de los Alimentos Peruanos. Ministerio de Salud
	35.	Pública. Instituto de Nutrición, 3ª Edición. Lima, Perú. Collazos Chiriboga C. (1969) La Composición de los Alimentos Peruanos. Instituto de Nutrición.
		Nueva edición, revisada y ampliada, 20 pág.
	36.	Obregon LE (1998) Maca - <u>Planta Medicinal y Nutritiva del Perú</u> . Institito de Fitoterapia
	37.	Americano, Lima. pp.123-46. Obregon LE (1998) Maca - <u>Planta Medicinal y Nutritiva del Perú</u> . Institito de Fitoterapia
	38.	Americano, Lima. pp.91-120. Obregon LE(1998) Maca - <u>Planta Medicinal y Nutritiva del Perú</u> . Institito de Fitoterapia
		Americano, Lima. pp.19-54

^{39.}

Matos M, Ramiro y Ravines, R (1980) El Périodo Arcaicio (5000-1800 a.C.), en: Perú Antiguo. Tomo I. Editorial Juan Mejía Baca. Hernándo Bermejo JE & Léon J, eds (1994) Neglected Crops: 1492 from a Different Perspective, Rome. pp165-79. 40

27

28

Claim

1

2

3

4


5	2. A food product according to claim 1 wherein the food product is a cooked food
6	product and the dry powdered maca is cooked in the food product.
7	
8	3. A method of marketing a nutritional supplement comprising offering for sale
9	packages of dried maca, each package containing at least 10 gm maca, optionally
10	from about 50 to about 2,000 gm maca; and instructing consumers to ingest at least
11	2, preferably 5 and more preferably 20 grams of maca per day.
12	
13	4. A method according to claim 3 comprising instructing the addition of powdered
14	maca to solid foodstuffs prior to ingestion of the foodstuff.
15	
16	5. A method according to claim 3 comprising instructing the addition of the maca
17	to a cooked, solid foodstuff, prior to cooking, whereby the maca is cooked with the
18	foodstuff.
19	
20	6. A bulk package of dried dispensable, pourable maca powder, or maca powder
21	mixture, the package containing at least 10 gm maca, optionally from about 50 to
22	about 2,000 gm maca and including instructions to consumers to ingest at least 2,
23	preferably 5 and more preferably 20 grams of maca per day.
24	
25	7. A package according to claim 6 comprising a dispensing scoop.
	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

1. A shaped solid food product incorporating an effective amount of maca, the

source for the maca comprising dry powdered maca plant.

8. A package according to claim 6 wherein the maca powder mixture comprises

substantially pure maca powder and a grain or vegetable flour or mixtures thereof.



FIGURE

	ECLARATION FOR UTILITY OR	First Named Inventor	BOBROWSKI et al
C	DESIGN PATENT APPLICATION (37 CFR 1.63)	COMPLETA	E IF KNOWN
	(37 01 10 1.03)	Application Number	Unknown
[]	Declaration Submitted with Initial Filing	Filing Date	Herewith
[X]	OR Declaration Submitted after Initial Filing	Group Art Unit	Unknown
	(surcharge (37 CFR 1.16 (e)) required)	Examiner Name	Unknown

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

MACA PRODUCTS AND THEIR USES

the specification of which

[X] is attached hereto

OR

[] was filed on as United States Application Number or PCT International Application Number and was amended on (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (mm/dd/yyyy)	Priority Not Claimed	Certified Cop YES	oy Attached NO
			[]	[]	[]
			[]	[]	[]

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (mm/dd/yyyy)
60/152,468	September 3, 1999

I hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or 365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

As a named inventor, I hereby appoint

Anthony H. Handal, Registration No. 26,275,

and all other registered practitioners listed under

Customer No. 00545

to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all telephone calls to Anthony H. Handal at (203) 838-8589

Address all correspondence to:

Anthony H. Handal Handal & Morofsky 80 Washington Street Norwalk, Connecticut 06854 Facsimile (203) 838-8794

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOL	E OR FIRST INVENTO	OR:		[] A	petition has been 1	iled for this unsigne	d inventor
Given Names (at least one name in full plus other names or initials)				Family Name or Surname			
Paul				BOBROWSKI			
Inventor's Signature						Date.	
Residence: City	Watervliet	State	NY	Country	U.S.A.	Cıtızenshıp	U.S.A.
Post Office Address	14 Lake Shore Dr. 1C						
Post Office Address							
City	Watervliet,	State	NY	Zip	12089	Country	U.S.A.

[X] Additional inventors are being named on the separate sheet attached hereto.

NAME OF ADDITIONAL INVENTOR:				[] A petition has been filed for this unsigned inventor			
Given Names (at least one name in full plus other names or initials)		Family Name or Surname					
AnneMarie			TRENTACOSTI				
Inventor's Signature:						Date:	
Residence ⁻ City	Fayetteville	State	GA	Country	U.S.A.	Citızenship	U.S.A.
Post Office Address	115 Deep Hollow Ct.						
Post Office Address				3400			
Cıty	Fayetteville	State	GA	Zıp	30215	Country	U.S.A.

NAME OF ADDIT	ΓΙΟΝΑL INVENTOR:			[] A	petition has been	filed for this unsigne	ed inventor
Given Names (at le	east one name in full plus other	names or initi	als)		Family Nam	e or Surname	
	Georgia				PERKINS	S-MILLER	
Inventor's Signature						Date:	
Residence City	Delamr	State	NY	Country	U.S.A.	Citizenship	U.S.A.
Post Office Address.	17 Stonewall Lane						
Post Office Address							
Cıty	Delamr	State	NY	Zıp	12054	Country	U.S.A.

NAME OF ADDITIONAL INVENTOR: Given Names (at least one name in full plus other names or initials) Anthony H.				[] A petition has been filed for this unsigned inventor Family Name or Surname HANDAL												
									Inventor's Signature						Date:	
									Residence City	Westport	State	CT	Country	U.S.A.	Citizenship	U.S.A.
Post Office Address:	3 Blue Chip Lane															
Post Office Address:																
Cıty	Wesptort	State	СТ	Zıp	06880-6707	Country	U.S.A.									